



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

NATIONAL SENIOR CERTIFICATE/ *NASIONALE SENIOR SERTIFIKAAT*

GRADE/GRAAD 10

PHYSICAL SCIENCES: CHEMISTRY (P2)
FISIESE WETENSKAPPE: CHEMIE (V2)

NOVEMBER 2019

MARKING GUIDELINES/NASIENRIGLYNE

MARKS/PUNTE: 150

These marking guidelines consist of 10 pages.
Hierdie nasienriglyne bestaan uit 10 bladsye.

QUESTION 1/VRAAG 1

- | | | |
|------|------|-----|
| 1.1 | A ✓✓ | (2) |
| 1.2 | C ✓✓ | (2) |
| 1.3 | B ✓✓ | (2) |
| 1.4 | D ✓✓ | (2) |
| 1.5 | C ✓✓ | (2) |
| 1.6 | C ✓✓ | (2) |
| 1.7 | B ✓✓ | (2) |
| 1.8 | D ✓✓ | (2) |
| 1.9 | C ✓✓ | (2) |
| 1.10 | C ✓✓ | (2) |
- [20]**

QUESTION 2/VRAAG 2

2.1

2.1.1 Positive ions/*positiewe ione* ✓Delocalised valence electrons/*gedelokaliseerde valenselektrone* ✓

(2)

2.1.2 Metallic bond/*metaalbinding* ✓

(1)

2.2 Left/*Links* ✓

(1)

2.3 Hg ✓

(1)

2.4

2.4.1 Homogeneous/*Homogeen* ✓

Uniform composition/Separate particles cannot be distinguished./All components are in the same phase. ✓

Uniforme samestelling/Afsonderlike deeltjies kan nie onderskei word nie./Alle komponente is in dieselfde fase.

(2)

2.4.2 Fe₂O₃ ✓

(1)

2.5

2.5.1 A ✓

Lowest density/*Laagste digthheid* ✓

(2)

2.5.2 Electrical conductivity is the conduction of electric current/charge ✓ and thermal conductivity is the conduction of heat. ✓*Elektriese geleiding is die geleiding van elektriese stroom/ladings en termiese geleiding is die geleiding van hitte.*

(2)

2.5.3 B ✓

B has a high density./B is a good conductor of electricity./B is a good conductor of heat. ✓

B het 'n hoë digtheid./B is 'n goeie geleier van elektrisiteit./B is 'n goeie geleier van hitte.

(2)

[14]

QUESTION 3/VRAAG 3

3.1

3.1.1 **Marking guidelines/Nasienriglyne**

If any of the underlined key words/phrases are omitted: minus 1 mark

*Indien enige van die onderstreepte sleutelwoorde/frases uitgelaat is:
minus 1 punt*Atoms of the same element having the same number of protons, but different number of neutrons. ✓✓*Atome van dieselfde element wat dieselfde getal protone het, maar verskillende getalle neutrone.***OR/OF**Same atomic number, but different mass numbers.Dieselfde atoomgetalle, maar verskillende massagetalle.

(2)

3.1.2

$$\text{Average/gemiddelde } A_R = \frac{(80)(24)}{100} + \frac{(10)(25)}{100} + \frac{(10)(26)}{100} \\ = 24,3 \checkmark$$

(4)

3.1.3 (a) 12

(1)

(b) 12

(1)

(c) 12

(1)

(d) 10

(1)

(e) 24

(1)

3.2

3.2.1 7 ✓

(1)

3.2.2 3 ✓

(1)

3.2.3 3 ✓

(1)

3.2.4 Cl ✓

(1)



3.2.5 Ionic bond/Ioniese binding ✓

(1)

3.2.6 Mg²⁺:

2p	↑↑	↑↑	↑↑
2s	↑↑		
1s	↑↑		

(2)



(4)

[22]

QUESTION 4/VRAAG 4

4.1

4.1.1 J ✓ (accept/aanvaar F) (1)

4.1.2 E ✓(accept/aanvaar Be) (1)

4.1.3 A ✓ (accept/aanvaar K) (1)

4.1.4 J ✓ (accept/aanvaar F) (1)

4.1.5 H ✓ (accept/aanvaar Ge) (1)

4.1.6 L ✓ (accept/aanvaar He) (1)

4.1.7 **Any ONE/Enige EEN**

- G (accept/aanvaar O) ✓
 - J (accept/aanvaar F)
- (1)

4.1.8 D ✓ (accept/aanvaar Al) (1)

4.2

4.2.1 **Marking guidelines/Nasienriglyne**

If any of the underlined key words/phrases are omitted: minus 1 mark

*Indien enige van die onderstreepte sleutelwoorde/frases uitgelaat is: minus 1 punt*First ionisation energy is the energy needed per mole ✓ to remove the first electron from an atom in the gaseous phase. ✓*Eerste ionisasie-energie is die energie benodig per mol om die eerste elektron te verwyder vanaf 'n atom in die gasfase.*4.2.2 A(g) + 400 kJ·mol⁻¹ → A⁺(g) ✓ + e⁻ ✓ (2)

4.3 Electron affinity/Elektronaffiniteit ✓ (1)

4.4

4.4.1 D₂G₃ ✓✓ (accept/aanvaar Al₂O₃) (2)

4.4.2 AJ ✓✓ (accept/aanvaar KF) (2)

[17]

QUESTION 5/VRAAG 5

5.1 Aluminium sulphate/Aluminiumsultaat ✓

(1)

5.2 **Marking guidelines/Nasienriglyne**

If any of the underlined key words/phrases are omitted: minus 1 mark

*Indien enige van die onderstreepte sleutelwoorde/frases uitgelaat is: minus 1 punt*The mass of one mole of a substance measured in g·mol⁻¹. ✓✓*Die massa van een mol van 'n stof gemeet in g·mol⁻¹.*

(2)

5.3

$$\begin{aligned} M(\text{Al}_2(\text{SO}_4)_3) &= 2(27) + 3(32) + 12(16) \\ &= 342 \text{ g·mol}^{-1} \checkmark\checkmark \end{aligned}$$

Note/Let wel:If unit omitted/*Indien eenheid uitgelaat*is: Max./Maks. $\frac{1}{2}$

(2)

5.3.2 **POSITIVE MARKING FROM QUESTION 5.3.1.****POSITIEWE NASIEN VANAF VRAAG 5.3.1.**

$$\begin{aligned} \% \text{Al} &= \frac{2(27)}{342} \times 100 \\ &= 15,79\% \checkmark \end{aligned}$$

$$\begin{aligned} \% \text{S} &= \frac{3(32)}{342} \times 100 \\ &= 28,07\% \checkmark \end{aligned}$$

$$\begin{aligned} \% \text{O} &= \frac{192}{342} \times 100 \\ &= 56,14\% \checkmark \end{aligned}$$

(3)

5.3.3 **POSITIVE MARKING FROM QUESTION 5.3.1.****POSITIEWE NASIEN VANAF VRAAG 5.3.1.**

$$\begin{aligned} n(\text{Al}_2(\text{SO}_4)_3) &= \frac{m}{M} \checkmark \\ &= \frac{85,5}{342} \checkmark \\ &= 0,25 \text{ mol} \checkmark \end{aligned}$$

(3)

5.3.4 **POSITIVE MARKING FROM QUESTION 5.3.3.****POSITIEWE NASIEN VANAF VRAAG 5.3.3.**

$$\begin{aligned} \text{Number of Al atoms} &= \underline{n} \times \underline{N_A} \times \text{number of atoms} \\ &= (0,25)(6,02 \times 10^{23}) \checkmark \underline{(2)} \checkmark \\ &= 3,01 \times 10^{23} \text{ atoms} \checkmark \end{aligned}$$

(3)

5.4

5.4.1 Ionic structure/Ioniese struktuur ✓

(1)

5.4.2 Al³⁺ / aluminium ions/ positive ions/ aluminium-ione/positiewe ione ✓SO₄²⁻ / sulphate ions/ negative ions/ sulfaat-ione/negatiewe ione ✓

(2)

5.4.3 ANY TWO/ENIGE TWEE:

- Brittle/bros ✓
 - Hard ✓
 - Non-conductor of electricity/ *nie-geleier van elektrisiteit*
 - Non-conductor of heat/ *nie-geleier van hitte*
 - High melting point/ *hoë smeltpunt*
- (2)

5.5

5.5.1 **Marking guidelines/Nasienriglyne**

If any of the underlined key words/phrases are omitted: minus 1 mark

Indien enige van die onderstreepte sleutelwoorde/frases uitgelaat is: minus 1 punt

The number of moles of solute per cubic decimetre/litre of solution.

Die getal mol opgelostee stof per kubieke sentimeter/liter van die oplossing.

(2)

5.5.2

OPTION 1/OPSIE 1

$$\begin{aligned} n &= \frac{m}{M} \\ &= \frac{500}{342} \checkmark \\ &= 1,46 \text{ mol} \\ c &= \frac{n}{V} \checkmark \\ &= \frac{1,46}{2} \checkmark \\ &= 0,73 \text{ mol} \cdot \text{dm}^{-3} \checkmark \end{aligned}$$

OPTION 2/OPSIE 2

$$\begin{aligned} c &= \frac{m}{MV} \checkmark \\ &= \frac{500}{\sqrt{342}(2)} \checkmark \\ &= 0,73 \text{ mol} \cdot \text{dm}^{-3} \checkmark \end{aligned}$$

(4)

[25]

QUESTION 6/VRAAG 6

6.1

- Exothermic ✓
 Energy is released. ✓

Eksotermies.
 Energie word vrygestel.

(2)

6.1.2


Marking guidelines/Nasienriglyne

If any of the underlined key words/phrases are omitted: minus 1 mark

*Indien enige van die onderstreepte sleutelwoorde/frases uitgelaat is: minus 1 punt*A group of two or more atoms that are covalently bonded and that functions as a unit. ✓✓*'n Groep van twee of meer atome wat kovalent gebind is en as 'n eenheid funksioneer.*

(2)

6.1.3



(2)

6.1.4 $n(\text{ZnS}) = \frac{m}{M}$ ✓
 $= \frac{7}{97}$ ✓
 $= 0,072 \text{ mol}$ ✓ (3)

6.1.5 **POSITIVE MARKING FROM QUESTION 6.1.4.**
POSITIEWE NASIEN VANAF VRAAG 6.1.4.

$$\begin{aligned} n(\text{O}_2) &= \frac{3}{2} n(\text{ZnS}) \\ &= \frac{3}{2} (0,072) \checkmark \\ &= 0,108 \text{ mol} \\ n(\text{O}_2) &= \frac{m}{M} \\ 0,108 &= \frac{m}{32} \checkmark \\ \therefore m &= 3,46 \text{ g} \checkmark \end{aligned}$$

Marking criteria/Nasienriglyne

- Use ratio/Gebruik verhouding:
 $n(\text{O}_2) = \frac{3}{2} n(\text{ZnS})$
- Substitute/Vervang 32 g·mol⁻¹.
- Final answer/Finale antwoord:
3,46 g

6.1.6 **POSITIVE MARKING FROM QUESTION 6.1.4.**
POSITIEWE NASIEN VANAF VRAAG 6.1.4.

$$\begin{aligned} n(\text{SO}_2) &= n(\text{ZnS}) \\ &= 0,072 \text{ mol} \checkmark \\ n &= \frac{V}{V_m} \checkmark \\ 0,072 &= \frac{V}{22,4} \checkmark \\ V(\text{SO}_2) &= 1,62 \text{ dm}^3 \checkmark \end{aligned}$$

(3)

(4)

6.2

6.2.1 Sulphuric acid/ swawelsuur ✓

ACCEPT/AANVAAR:

Hydrogen sulphate/Waterstofsulfaat ✓ (1)

6.2.2 ZnSO_4 ✓✓ (2)

6.2.3 Redox (reaction)/Redoks(reaksie) ✓

The charge of Zn changes from 0 in Zn ✓ to +2 in ZnSO_4 . ✓/The charge of H changes from +1 in H_2SO_4 to 0 in H_2 .Die lading van Zn verander van 0 in Zn na +2 in ZnSO_4 ./Die lading van H verander van + 1 in H_2SO_4 na 0 in H_2 . (3)

6.2.4 When a burning woodsplinter is brought close to the gas it makes a popping sound. ✓✓

'n Brandende houtsplinter wat naby die gas gebring word, maak 'n plofgeluid.

(2)

[24]

QUESTION 7/VRAAG 7

7.1

7.1.1 **Marking guidelines/Nasienriglyne**

If any of the underlined key words/phrases are omitted: minus 1 mark

Indien enige van die onderstreepte sleutelwoorde/frases uitgelaat is: minus 1 punt

An electrolyte is a solution that conducts electricity ✓ through the movement of ions. ✓

'n Elektroliet is 'n oplossing wat elektrisiteit geleei deur die beweging van ione. (2)


7.1.2 Polar/Polêr ✓

It has two oppositely charged poles/Dit het twee teenoorgesteld gelaaide pole. ✓ (2)

7.1.3

a) Concentration of ions/Konsentrasie van ione ✓ (1)


b) Conductivity/Geleidingsvermoë ✓ (1)

**NOTE/LET WEL:**

Ignore phases./Ignoreer fases. (3)

7.1.5 CaCl_2 ✓ A higher concentration of ions forms in solution. ✓'n Hoër konsentrasie van ione vorm in oplossing. (2)

7.2

7.2.1 K_2CO_3 ✓✓ (2)7.2.2 BaSO_4 ✓✓ (2)**NOTE/LET WEL:**

Ignore phases./Ignoreer fases. (3)

[18]

QUESTION 8/VRAAG 8

8.1

8.1.1

Marking guidelines/Nasienriglyne

If any of the underlined key words/phrases are omitted: minus 1 mark

*Indien enige van die onderstreepte sleutelwoorde/frases uitgelaat is:
minus 1 punt*

Condensation is the process during which a gas or vapour changes to a liquid. ✓✓

Kondensasie is die proses waardeur 'n gas of damp in 'n vloeistof verander.

(2)

8.1.2

Marking guidelines/Nasienriglyne

If any of the underlined key words/phrases are omitted: minus 1 mark

*Indien enige van die onderstreepte sleutelwoorde/frases uitgelaat is:
minus 1 punt*

Evaporation is the change of a liquid into a vapour at any temperature below the boiling point. ✓✓

Verdamping is die verandering van 'n vloeistof in 'n damp by enige temperatuur onder die kookpunt.

(2)

8.2

8.2.1

Evaporation/Verdamping ✓

(1)

8.2.2

Condensation/Kondensasie ✓

(1)

8.2.3

Precipitation/Presipitasie ✓

(1)

8.2.4

Infiltration/Infiltrasie/insypeling ✓

(1)

8.3

The hydrosphere is the water of the Earth. ✓ It is found as liquid water, ice and water vapour in the atmosphere. ✓

Die hidrosfeer is die water van die Aarde en dit word gevind as vloeibare water, ys en waterdamp in die atmosfeer.

(2)

[10]

TOTAL/TOTAAL:

150

